












Φωτογραφία	Περιγραφή	Λιανική	Internet
Groundpounder-Serie / GPX Amplifiers up to 1100 Watts RMS			
 <p>GPX500.2</p>	<p>2-Channel Amplifier CRUNCH AMP GROUND POUNDER 2 x 70 / 125 Watts RMS into 4 / 2 Ohm 254x46x225 mm 500 Watts max. Power Handling HPF 50 Hz - 250 Hz, LPF 50 Hz - 250 Hz Bass/Treble-Boost 0 / 6 / 12 dB, RCA-In & Out</p>	104,00 €	95,00 €
 <p>GPX1000.4</p>	<p>4-Channel Amplifier CRUNCH AMP GROUND POUNDER 4 x 70 / 125 Watts RMS into 4 / 2 Ohm 254x46x326 mm 1000 Watts max. Power Handling 2 x HPF 50 Hz - 250 Hz, LPF 50 Hz - 250 Hz Bass-Boost 0 / 6 / 12 dB, RCA-In & Out</p>	139,00 €	125,00 €
 <p>GPX2200.1D</p>	<p>Mono-Block digital CRUNCH AMP GROUND POUNDER 1 x 500 / 800 / 1100 Watts RMS into 4 / 2 / 1 Ohms 254x46x355 mm Class D, 2200 Watt max. Power Handling Subsonic 10 Hz - 50 Hz, LPF 32 Hz - 300 Hz Bass-Boost 0 - 18 dB, Phase Shift 0-180° Master/Slave, RCA-Inputs, incl. Bass-Remote</p>	282,00 €	250,00 €
 <p>GP1500.2</p>	<p>2 x 225 / 375 Watt RMS an 4 / 2 Ohm 1 x 1500 Watt max. High & Lowpass 50-250 Hz, VU- Bass-Boost 0-12 dB, Bass-Remote Διαστάσεις : 260x62x560 mm</p>	376,00 €	340,00 €
CRB-Serie CRB-Series / Upper Class Vented Boxes up to 400 Watts RMS			
 <p>CRB-250</p>	<p>The vented enclosure versions CRB250 and CRB350 offer a powerful deep bass with high levels in compact enclosures. Just a tick more bass power comes out of the brandnew CRB400 vented box, which is loaded with a square sub. Vented Box 25 cm CRUNCH SINGLE VENTED BOX Power Handling 250 Watts RMS, Impedance 4 Ohms 32,5x33,5x40/30 cm Vented Box with Crunch Logo-Stick, Poly-Chrome-Cone, 2" (50 mm) Voicecoil</p>	143,00 €	129,00 €
 <p>CRB-350</p>	<p>Test autohifi 1/2010 - Upper Class - SPL-TIP Vented Box 30 cm CRUNCH SINGLE VENTED BOX 37,5x38,5x46/35 c Power Handling 350 Watts RMS, Impedance 4 Ohms Vented Box with Crunch Logo-Stick, Poly-Chrome-Cone, 2" (50 mm) Voicecoil</p>	170,00 €	153,00 €

Φωτογραφία	Περιγραφή	Λιανική	Internet
Groundpounder-Serie / Active Subbox with 20 cm Woofer and Alu-Heatsink			
 <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold;">GP508</div>	TEST in Car & Hifi 1/2017 - Compact Class - Grade 1,6 - Price/Performance: very good Active-Subwoofer 2 Power Handling 125 Watts RMS, 250 Watts MAX 20 cm Subwoofer, 20 Hz Subsonicfilter, Cinch and High Level Inputs Auto-Turn-On, ill. Crunch-Logo 251x118x265 mm Incl. Bass-Remote, Possible Setting Options: -continuous Lowpass 50-125 Hz and Bass-Level -switchable Phase Shift 0/180° (Dip Switch)	242,00 €	217,00 €
 <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold;">GP808</div>	Active-Subwoofer 20 cm CRUNCH Active Subwoofer System 233x79x347 mm Power Handling 100 Watts RMS, 200 Watts MAX 20 cm Subwoofer in Alu-Die-Cast Enclosure Lowpass 50-100 Hz, Subsonicfilter @ 22 Hz fix Phase Shift 0/180°, Cinch and High Level Inputs, Auto-Turn-On Function, incl. Bass Remote	242,00 €	217,00 €
Groundpounder-Serie / Active Subbox with 25 cm Woofer and Alu-Heatsink			
 <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold;">GP810</div>	TEST in Car & Hifi 1/2017 - Compact Class - Grade 1,6 - Price/Performance: CRUNCH Active Subwoofer System very good Power 125 Watts RMS, 250 Watts MAX Active-Subwoofer 25 (25 cm Subwoofer in Alu-Die-Cast Enclosure Lowpass 50-100 Hz, Subsonicfilter @ 22 Hz fix 276x84x370mm Phase Shift 0/180°, Cinch and High Level Inputs, Auto-Turn-On Function, incl. Bass Remote	282,00 €	253,00 €

Φωτογραφία	Περιγραφή		Λιανική	Internet
Definition-Serie / Shallow - Mount Component Systems up to 110 Watts RMS				
	Component-Kit 10 cm	CRUNCH DEFINITION Component System Power Handling 60/120 Watts, Impedance 4 Ohms ultra-slim, 20 mm Neodym-Tweeter mounting depth 34 mm, diameter 96 mm	105,00 €	95,00 €
DSX4.2C				
	Component-Kit 13 cm	CRUNCH DEFINITION Component System Power Handling 80/160 Watts, Impedance 4 Ohms ultra-slim, 25 mm Neodym-Tweeter mounting depth 42 mm, diameter 115 mm	129,00 €	116,00 €
DSX5.2C				
Definition-Serie / Shallow - Mount Component Systems up to 110 Watts RMS				
	Component-Kit 16,5 cm	CRUNCH DEFINITION Component System Power Handling 100/200 Watts, Impedance 4 Ohms ultra-slim, 25 mm Neodym-Tweeter mounting depth 45 mm, diameter 145 mm	135,00 €	121,00 €
DSX6.2C				
Definition-Serie / Shallow-Mount Loudspeakers with inner Magnets				
	Coax-System 10 cm	CRUNCH DEFINITION Coax Power Handling 60/120 Watts, Impedance 4 Ohms ultra-slim due to inner Magnets 13 mm Neodymium-Tweeter-Dome Mounting Depth 34 mm, Mounting Diameter 96 mm	47,00 €	42,00 €
DSX42				
	Coax-System 13 cm	CRUNCH DEFINITION Coax Power Handling 80/160 Watts, Impedance 4 Ohms ultra-slim due to inner Magnets 13 mm Neodymium-Tweeter-Dome Mounting Depth 42 mm, Mounting Diameter 115 mm	55,00 €	50,00 €
DSX52				
	Coax-System 16,5 cm	CRUNCH DEFINITION Coax Power Handling 100/200 Watts, Impedance 4 Ohms ultra-slim due to inner Magnets 13 mm Neodymium-Tweeter-Dome Mounting Depth 45 mm, Mounting Diameter 145 mm	63,00 €	57,00 €
DSX62				

Φωτογραφία	Περιγραφή		Λιανική	Internet
Definition Car-Fit / Coaxial and Triaxial Systems up to 125 Watts RMS				
	Coax-System 8,7 cm	CRUNCH DEFINITION Coax Power Handling 50/100 Watts, Impedance 4 Ohms 13 mm Neodymium-Tweeter-Dome Mounting Depth 42 mm, Mounting Diameter 80 mm	37,00 €	33,00 €
DSX32				
	Coax-System 12 cm	CRUNCH DEFINITION Coax Power Handling 80/160 Watts, Impedance 4 Ohms 13 mm Neodymium-Tweeter-Dome Mounting Depth 55 mm, Mounting Diameter 112 mm	43,00 €	39,00 €
DSX120				
	Coax-System 4x6"	CRUNCH DEFINITION Coax Power Handling 70/140 Watts, Impedance 4 Ohms 13 mm Neodymium-Tweeter-Dome Mounting Depth 53 mm Mounting Diameter 144x89 mm	45,00 €	40,00 €
DSX462				
Definition Car-Fit / Coaxial and Triaxial Systems up to 125 Watts RMS				
	Coax-System 5x7"	CRUNCH DEFINITION Coax Power Handling 80/160 Watts, Impedance 4 Ohms 13 mm Neodymium-Tweeter-Dome Mounting Depth 59 mm Mounting Diameter 183x129 mm	53,00 €	48,00 €
DSX572				
	Triax-System 6x9"	CRUNCH DEFINITION Triax Power Handling 125/250 Watts, Impedance 4 Ohms 50/13 mm Mylar Mid/Tweeter-Unit Mounting Depth 81 mm Mounting Diameter 222x152 mm	86,00 €	77,00 €
DSX693				
	Tweeter Set 25 mm	CRUNCH DEFINITION Tweeter-Set Power Handling 100/200 Watts via X-Over 25 mm Silk-Neodymium-Tweeter Impedance 4 Ohm and 12 dB Inline X-Over	47,00 €	42,00 €
DST				

Φωτογραφία	Περιγραφή		Λιανική	Internet
GTI-Serie / Component Systems with excellent Price-Performance-Ratio				
	Component Kit 13 cm	CRUNCH Component System Power Handling 80/160 Watts, Impedance 4 Ohms premium PP-Cone, Silk-Tweeter 12 dB x-over with Tweeter Protection, Magnet Covert, incl. GTi Speaker Grill mounting depth 54 mm, diameter 115 mm	88,00 €	79,00 €
GTI-5.2C				
	Component Kit 16,5 cm	16,5 cm, 2-WAY COMPONENT SYSTEM 100 / 200 Watts, Impedance 4 Ohms ‡ 57 mm, Ø 143 mm	96,00 €	86,00 €
GTI-6.2C				
	Tweeter Set 25 mm	25 mm TWEETER SET 100 / 200 Watts, Impedance 4 Ohms incl. Crossover with tweeter protection ‡ 19 mm, Ø 50 mm	37,00 €	33,00 €
GTI-6.2T				
	Woofer Set 16,5 cm	CRUNCH Woofer Set Power Handling 100/200 Watts, Impedance 4 Ohms premium PP-Cone, Magnet Covert, incl. GTi Speaker Grill mounting depth 57 mm, diameter 143 mm	49,00 €	44,00 €
GTI-6.2W				
GTI-Serie / Component Systems with excellent Price-Performance-Ratio				
	Coax-System 10 cm	CRUNCH COAX 10 cm Power Handling 50/100 Watts, Impedance 4 Ohms premium PP-Cone, Mylar-Tweeter, Magnet Covert, incl. GTi Speaker Grill Mounting Depth 47 mm, Mounting Diameter 94 mm	35,00 €	31,00 €
GTI-42				
	Coax-System 13 cm	CRUNCH COAX 13 cm Power Handling 75/150 Watts, Impedance 4 Ohms premium PP-Cone, MylarTweeter, Magnet Covert, incl. GTi Speaker Grill Mounting Depth 53 mm, Mounting Diameter 115 mm	41,00 €	37,00 €
GTI-52				

Φωτογραφία	Περιγραφή		Λιανική	Internet
GTI-Serie / Component Systems with excellent Price-Performance-Ratio				
 <p data-bbox="108 443 213 472">GTI-62</p>	<p data-bbox="381 253 539 320">Coax-System 16,5 cm</p>	<p data-bbox="614 215 906 237">CRUNCH COAX 16,5 cm</p> <p data-bbox="614 293 1222 439">Power Handling 90/180 Watts, Impedance 4 Ohms premium PP-Cone, MylarTweeter, Magnet Covert, incl. GTi Speaker Grill Mounting Depth 57 mm, Mounting Diameter 143 mm</p>	<p data-bbox="1289 293 1382 315">47,00 €</p>	<p data-bbox="1437 293 1530 315">42,00 €</p>
 <p data-bbox="97 714 213 743">GTI-693</p>	<p data-bbox="381 495 539 562">Triax-System 6x9"</p>	<p data-bbox="614 495 916 517">CRUNCH Triaxial System</p> <p data-bbox="614 573 1273 719">Power Handling 125/250 Watts, Impedance 4 Ohms premium PP-Cone, 50/13 mm Mylar Mid/Tweeter-Unit, Magnet Covert, incl. GTi Speaker Grill mounting depth 80 mm, diameter 151x222 mm</p>	<p data-bbox="1289 528 1382 551">76,00 €</p>	<p data-bbox="1437 528 1530 551">68,00 €</p>

